

To: Rothery, Deirdre[Rothery.Deirdre@epa.gov]; Dresser, Chris[Dresser.Chris@epa.gov]; Gilbert, Alexas[Gilbert.Alexas@epa.gov]
From: Smith, Claudia
Sent: Mon 4/18/2016 2:50:46 PM
Subject: RE: U&O FIP: Updated Cost Numbers using CTG

He is not using SharePoint. I just checked and it doesn't look like anyone made any edits since I sent the file to Elliott, so it probably would be a good idea to wait until we get Elliott's version and I can replace the one on the SharePoint. Thanks, Dee.

Thanks,

Claudia

From: Rothery, Deirdre
Sent: Monday, April 18, 2016 8:28 AM
To: Smith, Claudia <Smith.Claudia@epa.gov>; Dresser, Chris <Dresser.Chris@epa.gov>; Gilbert, Alexas <Gilbert.Alexas@epa.gov>
Subject: RE: U&O FIP: Updated Cost Numbers using CTG

Just a thought, should we wait until we have Elliott's version or is he using Sharepoint?

From: Smith, Claudia
Sent: Monday, April 18, 2016 8:26 AM
To: Dresser, Chris <Dresser.Chris@epa.gov>; Gilbert, Alexas <Gilbert.Alexas@epa.gov>; Rothery, Deirdre <Rothery.Deirdre@epa.gov>
Subject: RE: U&O FIP: Updated Cost Numbers using CTG

Chris,

Please make the changes to the version on the SharePoint.

Thanks,

Claudia

From: Dresser, Chris
Sent: Monday, April 18, 2016 8:23 AM
To: Smith, Claudia <Smith.Claudia@epa.gov>; Gilbert, Alexas <Gilbert.Alexas@epa.gov>;
Rothery, Deirdre <Rothery.Deirdre@epa.gov>
Subject: RE: U&O FIP: Updated Cost Numbers using CTG

If we're okay with this approach for dealing with the changes, I will go ahead and make the necessary changes to the FR notice and TSD. I can have the updated version complete by COB today.

-Chris

Chris Dresser

U.S. EPA – Region 8

1595 Wynkoop Street

Denver, Colorado 80202-1129

Phone: (303) 312-6385

From: Smith, Claudia
Sent: Monday, April 18, 2016 8:19 AM
To: Gilbert, Alexas <Gilbert.Alexas@epa.gov>; Dresser, Chris <Dresser.Chris@epa.gov>;
Rothery, Deirdre <Rothery.Deirdre@epa.gov>
Subject: RE: U&O FIP: Updated Cost Numbers using CTG

No concerns here. It will probably have to change again before the final, given the final CTG in June.

Thanks,

Claudia

From: Gilbert, Alexas
Sent: Thursday, April 14, 2016 5:16 PM
To: Smith, Claudia <Smith.Claudia@epa.gov>; Dresser, Chris <Dresser.Chris@epa.gov>; Rothery, Deirdre <Rothery.Deirdre@epa.gov>
Subject: U&O FIP: Updated Cost Numbers using CTG

Hi All-

Here is the total cost number using the CTG numbers for **quarterly** as well as **semi annual** inspections: **\$83,115,662**

The previous number (**\$84,155,591**) was generated by multiplying the cost of LDAR per facility by 2.

They are pretty similar, I think we might use the CTG numbers for VOC reduced for the emission estimates so, unless there's a concern with using this new number – I think **\$83,115,662** is the number we should use.

The spreadsheet outlining the calculation for this number is “Draft Cost Analysis Numbers2 4.14.16” on the I drive.

Thoughts? Concerns?

Thanks-

Alexas